Index

A

A/B testing, 85
accessibility teams, 165
account directors, 167
agency teams, 167
alignment (OmniGraffle), 96
analysis, as reason for creating user journeys, 79, 80
analytics, as reason for creating funnel diagrams, 294–296
analytics specialists, 165
analyzing data, 55–56
anatomy
  of funnel diagrams, 298–299
  of personas, 14–15
  of spreadsheet sitemaps, 130–131
  of usability test reports, 266–272
  of user journeys, 82–83
  of visual sitemaps, 131–132
  of wireframes, 167–171
annotated screenshots, 280
annotation in wireframes, 169
arrows
  in user journeys (OmniGraffle), 93–96
  in user journeys (PowerPoint), 102
  using in PowerPoint, 71
audience
  for content requirements documents, 109
  for funnel diagrams, 300
  for personas, 16
  for sitemaps, 127–129
  for task models, 51–52
  for usability test reports, 272
  for user journeys, 83–84
  for wireframes, 163–167
auditing content, 112–113
Axure, creating wireframes in
  about, 240–241
  adding images, 247–249
  creating basic shapes, 242–244
  creating custom buttons, 249–252
  creating master objects, 252–255
  editing text and bullets, 244–247
  styling basic shapes, 242–244

B

barriers, as components of task models, 49–50, 51
basing personas on real people, 12
behaviors, as components of personas, 14–15
benchmark testing, 114
black and white photos, 76
blocks, as components of funnel diagrams, 298
board members, 167
boxes
  in sitemaps (OmniGraffle), 148–150
  in sitemaps (PowerPoint), 142–144
  in wireframes (OmniGraffle), 213–215
brand copy, communicating with content requirements documents, 105–106
brand teams, 166
bullets
  in personas, 12, 23, 30–33, 40–42
  in wireframes (Axure), 244–247
business analysts
  as audience for user journeys, 84
  as audience for wireframes, 165
business owners, 272
business stakeholders, 16, 84, 293
buttons
  in wireframes (Axure), 249–252
  in wireframes (OmniGraffle), 232–237

C

call centers, 19, 53, 302–303
Canvas (Axure), 240, 241
canvas sizing, 188–189
card sorting, 135–137
cells, shading on sitemaps in Excel, 154–156
change log, as component of wireframes, 170
closed-card sorts, 138–139

COPYRIGHTED MATERIAL

coding notes, 274
Colborne, Giles (managing director), 160
collages, 113
color
  adding in OmniGraffle Pro, 36–37
  adding in PowerPoint, 26–27
  using in wireframes, 174
color palettes, in usability test reports (PowerPoint), 284–285
columns, adding to sitemaps, 130, 156–157
combining shapes for wireframes (PowerPoint), 261–262
comments, as components of usability test reports, 267
communicating findings, 280
complex evaluations, 48, 64–65
compliance teams, 166
connecting lines, for sitemaps, 131, 150–151
content
  adding to content requirements documents (Word), 121
  auditing, 112–113
  communicating with user journeys, 81–82
  communicating with wireframes, 162
  prioritizing, 179–180
  testing in context, 109–110
  variation testing, 110–111
content requirements
  about, 4, 104
  audience for, 109
  as component of task models, 49, 51
  creating documents for, 4, 114–121
  features of good, 105–109
  research and workshop ideas, 111–114
  validating, 109–111
content teams
  as audience for sitemaps, 128
  as audience for wireframes, 165
contextual observations, 53–54
controlled evaluations
  about, 48
  for task models (OmniGraffle), 62–64
  for task models (PowerPoint), 72–74
copy teams, 165
copywriters, 84
core purpose, as component of content requirements document, 108
cropping images in usability test reports (PowerPoint), 286–288
cross-links
  about, 127
  showing in sitemaps (PowerPoint), 131, 146–147
curved arrows, styling in user journeys (OmniGraffle), 95–96
customer service managers, 166

D

data
  analyzing, 55–56
  communicating with content requirements documents, 106
  communicating with funnel diagrams, 296–297
  real, using in wireframes, 169
decision points, 81, 83
defining your personas, 21–22
de-magnetizing lines for sitemaps (OmniGraffle), 151–152
depth interviews, 20
descriptive image placeholders, 169
descriptive photography, using for personas, 12–13
design notes, as component of usability test reports, 270
design principles, of wireframes, 171–176
design suggestions, as component of task models, 51
design team
  as audience for task models, 52
  as audience for usability test reports, 272
design validation tests, 274–275
designers
  as audience for sitemaps, 127–128
  as audience for usability test reports, 272
  as audience for user journeys, 84
  as audience for wireframes, 164
designs, user testing of, 84
developers
  as audience for usability test reports, 272
  as audience for wireframes, 164–165
development team
  as audience for funnel diagrams, 300
  as audience for sitemaps, 128

as audience for task models, 52
as audience for user journeys, 84
as audience for wireframes, 164–165
direct connections, 47
direction, indicating for task models (OmniGraffle), 60
document titles
for content requirements documents, 107
for personas, 22–23
documents
creating for wireframes (OmniGraffle), 188
putting into context, 7–8
summary, 2–7
drop-downs, creating for wireframes (PowerPoint), 261–262
duplicating objects, 206

E

e-commerce teams, 167
elements, creating for usability test reports (PowerPoint), 289–290
email, communicating findings with, 280
embedding video in usability test reports (PowerPoint), 290
emotional needs, as component of task models, 48–49
emotions, highlighting, 56
enabling
rulers (OmniGraffle), 216
Snap to grid for wireframes (PowerPoint), 256–257
end steps, for user journeys, 81, 82
ethnographic research, conducting, 20–21
evaluations, complex, 64–65
evaluations, controlled
for task models (OmniGraffle), 62–64
for task models (PowerPoint), 72–74
examining user journeys, 87–89
Excel, creating sitemaps in
adding rows and columns, 156–157
shading cells, 154–156
wrapping text, 153–154
writing labels, 153–154
existing barriers, as components of task models, 49–50
exploratory tests, taking notes for, 273–274
external factors, communicating with user journeys, 82

F

feasibility of projects, 277
feel, using in wireframes, 174–175
finance teams, 166
findings
communicating, 280
prioritizing, 277–278
flagging non-existent content in visual sitemaps, 132
flags, using in spreadsheet sitemaps, 131
flow, in user journeys, 81, 83
folds, showing in wireframes, 169
fonts, for personas, 28
formatting tables in content requirements documents (Word), 118–120
functionality
communicating with content requirements documents, 106
communicating with wireframes, 163
funnel diagrams
about, 292
anatomy of, 298–299
audience for, 300
creating in OmniGraffle, 304–313
creating in PowerPoint, 314–322
document for, 7
features of good, 293
reasons for creating, 293–298
research and workshop ideas, 301–303

G

gathering materials, 88
generating ideas, 181–182
goals
communicating with user journeys, 81
as component of task models, 47, 51
as components of personas, 14
identifying, 55
grids, setting up for wireframes (OmniGraffle), 190–191

groupings
communicating with user journeys, 81
as components of user journeys, 82
information, 55
guides, using for usability test reports (PowerPoint), 285–286

H

head of online managers, 166
headers, creating in wireframes (Axure), 244
highlighting emotions, 56

I

icons
adding to personas, 28–29
creating for task models (PowerPoint), 74–75
inserting in personas (OmniGraffle Pro), 38–39
ideas, generating, 181–182
identifying
goals, 55
themes, 276
user behaviors, 56
illustrating
task models, 56–57
user journeys, 89
image placeholders, using in wireframes (OmniGraffle), 215–219
image requirements, communicating with content requirements documents, 106
images
in personas, 22, 25–28, 35–38
in usability test reports, 286–289
in wireframes, 162, 169, 225–229, 247–249
impact, 277
indicating direction for task models (OmniGraffle), 60
individual tasks, adding to task models (OmniGraffle), 61
information
analyzing, 55
grouping, 55
instructions, communicating with content requirements documents, 106
interactions, as components of task models, 49
internal UX teams, 272
inviting attendees, 87–88

K

key goals, as components of personas, 14
key issues, as components of funnel diagrams, 299

L

labels, in sitemaps, 131, 132, 153–154
layers, in wireframes, 191–195
layout, communicating with wireframes, 162
legal teams, 166
lines
in sitemaps, 151–152
in user journeys, 94–95, 102
LinkBack objects, creating in wireframes (OmniGraffle), 210–213
linking notes and wireframes, 169
live sites, user testing of, 84
loop backs, creating for task models (OmniGraffle), 65–67

M

Mac, creating personas on. *See* OmniGraffle Pro, creating personas on
magnetic shapes, using for user journeys (OmniGraffle), 93–94
managers, 167
managing director, 167
margins, setting in usability test reports (PowerPoint), 286
market researchers, 166
marketing copy, communicating with content requirements documents, 105–106
marketing directors, 272
marketing teams, 166
master objects, creating in wireframes (Axure), 252–255
Masters pane (Axure), 240, 241
measurement, communicating with user journeys, 82
multivariate testing (MVT), 85
must dos, as components of personas, 15
must nevers, as components of personas, 15
MVT (multivariate testing), 85

N

names, as components of personas, 14
navigation, communicating with wireframes, 163
note indicators, in usability test reports (PowerPoint), 289–290
notes
  columns in spreadsheet sitemaps, 130
  as components of user journeys, 83
  creating for task models (OmniGraffle), 68
  for design validation tests, 274–275
  for exploratory tests, 273–274
  linking with wireframes, 169
note-taking and research tips, for usability test reports, 272–275

O

objects, duplicating, 206
OmniGraffle, creating funnel diagrams in
  adding the "why", 310–313
  representing pages and percentages, 305–309
  setting up templates, 304
OmniGraffle, creating sitemaps in
  creating boxes with magnetic points, 148–150
  de-magnetizing lines, 151–152
  setting up templates, 148
  using connecting lines, 150–151
OmniGraffle, creating task models in
  creating models, 60–68
  setting up templates, 58–59
OmniGraffle, creating user journeys in
  adding lines and arrows, 94–95
  creating titles for user journeys, 92
  finishing off, 96–97
  setting up templates, 90–91
  styling curved arrows, 95–96
  styling shapes, 92–93
  using magnetic shapes and arrows, 93–94
OmniGraffle, creating wireframes in
  about, 186–187
  adding images, 225–229
  adding text, 229–232
  changing canvas sizing, 188–189
  changing ruler units, 189–190
  creating buttons, 232–237
  creating custom page grids, 203–209
  creating layers, 191–192
  creating LinkBack objects, 210–213
  creating new documents, 188
  creating page titles with variables, 195–199
  creating shared layers, 192–193
  creating tabs, 220–225
  image placeholders, 215–219
  reordering layers, 193–195
  setting up grids, 190–191
  setting up templates, 188–213
  using basic boxes to mark out content areas, 213–215
  using stencils, 237–239
  working with page outlines, 200–203
OmniGraffle Pro, creating personas in
  adding persona images and titles, 35–38
  adding subheadings and bulleted lists, 38–42
  creating and setting up presentations, 34–35
online forums, visiting, 54
online managers, 166
open-card sorting, 135–137
operations teams, 166
order of tasks, as component of task models, 47

P

page functionality themes, 276
page grids, in wireframes (OmniGraffle), 203–209
page groups, in sitemaps (PowerPoint), 145–146
page name, as component of content requirements document, 108
page numbers, as components of wireframes, 167
page orientation, setting for sitemaps (PowerPoint), 142
page outlines, in wireframes, 200–203, 258
page titles
  as components of usability test reports, 266
  as components of wireframes, 167
  creating for wireframes (OmniGraffle), 195–200
pages, for funnel diagrams, 305–309, 314–318
pain points, in user journeys, 82, 83
paragraph controls, in usability test reports (PowerPoint), 286–287
PDFs, personas as, 28
percentages, in funnel diagrams, 297–298, 305–309, 314–318
persona images, 22

personas
about, 10
anatomy of, 14–15
audience for, 16
as component of task models, 51
creating, 22–42
creating in OmniGraffle Pro, 34–42
creating in PowerPoint, 24–33
defining your, 21–22
document for, 2
goals of, 11
qualities of good, 11–13
research and workshop ideas, 18–22
validating, 17
photos
black and white, 76
as persona component, 14
pixels, as component of wireframes, 167
planners, 167
Post-it Notes, 89
post-testing workshop photos, communicating findings with, 280
PowerPoint, creating funnel diagrams in
adding the "why", 318–322
representing pages and percentages, 314–318
setting up templates, 314
PowerPoint, creating personas in
adding icons, subheadings, and bulleted lists, 28–33
adding persona images and titles, 25–28
creating and setting up slide presentation, 24–25
PowerPoint, creating sitemaps in
adding connecting lines, 144–145
creating and shading boxes, 142–144
setting page orientation, 142
showing cross-links, 146–147
signifying page groups, 145–146
PowerPoint, creating task models in
creating models, 70–76
setting up templates, 69
PowerPoint, creating usability test reports in
about, 281
creating custom color palettes, 284–285
creating custom elements, 289–290
editing images, 287–289
editing Slide Master, 281–283
editing text boxes, 286–287
editing Title Master, 283–284
inserting video, 290
setting up templates, 281–286
using guides, 285–286
PowerPoint, creating user journeys in
adding arrows and lines, 102
adding shapes, 99
changing shapes, 99–100
finishing up, 102
setting up templates, 98–99
wrapping text, 101
PowerPoint, creating wireframes in
adjusting sizing, 257
combining shapes, 261–262
creating page outlines, 258
creating tabbed navigation, 258–259
enabling Snap to grid, 256–257
setting up templates, 256–257
styling shapes, 259–261
practicing presentations, 278–279
presentations
creating and setting up (OmniGraffle Pro), 38–35
practicing, 278–279
titling for content requirements documents (Word), 116–117
prioritization workshops, 277–278
prioritizing
about, 272
content, 179–180
findings, 277–278
priority, communicating with wireframes, 163
process sorting, 86–87
product development, as reason for creating user journeys, 79
product managers
as audience for funnel diagrams, 300
as audience for wireframes, 166
project managers
as audience for sitemaps, 128
as audience for usability test reports, 272
as audience for user journeys, 84
as audience for wireframes, 165
project team, 272
projector method, communicating findings with, 280

Q

qualitative data, 303
quantitative data, 303

R

recommendations, as components of usability test reports, 267
reference ID, as component of content requirements document, 108
related business functions, 166
remote navigation texting, 139–140
reordering layers in wireframes (OmniGraffle), 193–195
required elements, as components of content requirements document, 108–109
research
  conducting, 53–54
  theories, 18
research and workshop ideas
  content requirements documents, 111–114
  funnel diagrams, 301–303
  personas, 18–22
  sitemaps, 134–140
  task models, 53–56
  user journeys, 86–89
  wireframes, 178–184
research techniques
  benchmark testing, 114
  call centers, listening in on, 19
  conducting depth interviews, 20
  conducting ethnographic research, 20–21
  conducting research, 53–54
  creating healthy perspectives, 182–184
  determining pages you need, 137–138
  generating ideas, 181–182
  identifying themes, 276
  immersing yourself in the topic, 111
  listening to and observing users, 113–114
  open-card sorting, 135–137
  practicing presentations, 278–279
  prioritizing content, 179–180
  prioritizing findings, 277–278
  using site analytics and search logs, 134
  validating sitemaps, 138–140
  “what”, 301
  “why”, 302–303
resizing
  canvas in OmniGraffle, 58, 188–189
  rectangles in PowerPoint, 70
  for wireframes (PowerPoint), 257
right-clicking shapes (PowerPoint), 70
rows, adding to sitemaps (Excel), 156–157
ruler units, changing for wireframes (OmniGraffle), 189–190
rulers, enabling in OmniGraffle, 216
running successful workshops, 178–179

S

screenshots
  communicating findings with, 280
  as component of usability test reports, 267
search engine optimization (SEO) teams, 128, 165
search logs, using, 134
senior managers, 272
senior stakeholders, 16, 300
SEO (search engine optimization) teams, 128, 165
separating logged in areas in visual sitemaps, 132
severity indicators, as components of usability test reports, 267
severity of usability issues, 277
severity-based themes, 276
shading
  boxes on sitemaps (PowerPoint), 142–144
  buttons in wireframes (Axure), 249–252
  cells in sitemaps (Excel), 154–156
  as component of funnel diagrams, 299
  as component of wireframes, 168
  using in spreadsheet sitemaps, 131
  using in visual sitemaps, 131
shapes
  in user journeys, 92–94, 100–101
  in wireframes, 242–244, 261–262
sign-off groups, 166–167
site analytics, using, 134
Sitemap pane (Axure), 240, 241
sitemaps
  about, 124
  anatomy of, 130–133
  audience for, 127–129
  creating, 140–157
  creating in Excel, 153–157

sitemaps *(continued)*
creating in OmniGraffle, 148–152
creating in PowerPoint, 142–147
document for, 5
features of good, 125–127
reasons for creating, 125–126
research and workshop ideas, 134–140
styles of, 129
validating, 138–140
sizing, adjusting for wireframes (PowerPoint), 257
Slide Master, editing for usability test reports (PowerPoint), 281–283
slide presentations, creating and setting up, 24–25
Snap to grid, enabling for wireframes (PowerPoint), 256–257
solution, suggesting, as component of task models, 50
specialists, 165
specification information, communicating with content requirements documents, 106
spreadsheet sitemaps, 128, 130–131
stakeholder team, 52
stakeholders, 16, 84, 293
start steps, in user journeys, 81, 82
Stencil Library (OmniGraffle), 92–93
stencils, using in wireframes (OmniGraffle), 237–239
steps, in user journeys, 81, 83
stock images, avoiding for personas, 12
storyboards, as component of wireframes, 171
strategists, 167
structure of wireframes, 172–173
structured email, communicating findings with, 280
style, of wireframes, 172–173
styling
in Axure, 242–244
in OmniGraffle, 92–93, 95–96
in PowerPoint, 259–261
subheadings, in personas, 23, 30, 39–40
suggestions, 50, 108–109
summary information, as component of content requirements document, 108
supporting information, communicating with content requirements documents, 106–107

T

tabbed navigation, creating for wireframes (PowerPoint), 258–259
tables, in content requirements documents (Word), 117–120
tabs, creating for wireframes (OmniGraffle), 220–225
task models
about, 44
anatomy of, 50–51
audience for, 51–52
creating in OmniGraffle, 58–68
creating in PowerPoint, 69–76
document for, 3
features of good, 45–50
illustrating, 56–57
research and workshop ideas, 53–56
validating, 52–53
when to create, 45
task phases, as component of task models, 51
task/goal-based themes, 276
tasks
communicating with user journeys, 81
in task models, 51, 61, 70–71
template numbers, using in visual sitemaps, 132
templates
for content requirements documents (Word), 116
for funnel diagrams (OmniGraffle), 304
for funnel diagrams (PowerPoint), 314
for sitemaps (OmniGraffle), 148
for task models (OmniGraffle), 58–59
for task models (PowerPoint), 69
for usability test reports (PowerPoint), 281–286
for user journeys (OmniGraffle), 90–91
for user journeys (PowerPoint), 98–99
for wireframes (OmniGraffle), 188–213
for wireframes (PowerPoint), 256–257
testing
A/B, 85
benchmark, 114
design validation, 274–275
text
in sitemaps, 153–154
in user journeys, 101
in wireframes, 229–232, 244–247

text boxes, editing for usability test reports (PowerPoint), 286–287
text lines/shapes, as components of wireframes, 168
text outputs, as components of usability test reports, 270
text size, as component of funnel diagrams, 299
themes, identifying, 276
Title Master, editing for usability test reports (PowerPoint), 283–284
titles
  in funnel diagrams, 298
  personas, 25–28, 35–38
  in task models, 60, 70
  in user journeys, 82, 92
titling presentations for content requirements documents (Word), 116–117
Toolbar (Axure), 240, 241
transparency, in usability test reports (PowerPoint), 288–289
tree structure, of spreadsheet sitemaps, 130

U

usability test reports
  about, 264
  anatomy of, 266–272
  audience for, 272
  communicating findings, 280
  creating in PowerPoint, 281–290
  features of good, 265
  note-taking and research tips, 272–275
  reasons for creating, 265–266
  research and workshop ideas, 276–279
user behavior
  as component of task models, 47–48, 51
  identifying, 56
user experience, 1. *See also specific topics*
user experience peers, 165
user journeys
  about, 78
  anatomy of, 82–83
  audience for, 83–84
  creating in OmniGraffle, 90–97
  creating in PowerPoint, 98–102
  document for, 3
  examining, 87–89
  features of good, 79–82
  illustrating, 89
  research and workshop ideas, 86–89
  validating, 84–85
user quote callouts, in usability test reports (PowerPoint), 289
user quotes
  as components of usability test reports, 267
  as components of personas, 14
user support, as component of content requirements document, 108
user testing
  of designs, 84
  of live sites, 84
  as reason for creating funnel diagrams, 294, 302
  of wireframes, 84
user testing reports, document for, 6
user video, as component of usability test reports, 267
user-experience themes, 276
users, listening to and observing, 113–114

V

validating
  content requirements documents, 109–111
  personas, 17
  sitemaps, 138–140
  task models, 52–53
  user journeys, 84–85
  wireframes, 176–177
video, in usability test reports, 290
vision, communicating with wireframes, 162
vision page, as component of wireframes, 169–170
visual heat, of wireframes, 173–174
visual sitemaps, 128, 131–132, 133
visual weighting, as component of wireframes, 168

W

website feedback tools, as reason for creating funnel diagrams, 303
"why", in funnel diagrams, 310–313, 318–322
Widget Properties pane (Axure), 240, 241
Widgets pane (Axure), 240, 241

wireframe team, 84
wireframers, 127–128
wireframes
  about, 159–160
  anatomy of, 167–171
  audience for, 163–167
  communicating with, 162–163
  creating in Axure, 240–255
  creating in OmniGraffle, 186–239
  creating in PowerPoint, 256–262
  design principles for, 171–176
  document for, 6
  features of good, 160–161
  producing, 184–185
  reasons for using, 162
  research and workshop ideas, 178–185
  user testing of, 84
  validating, 176–177
Word, creating content requirements documents in
  adding content, 121
  formatting tables, 118–120
  inserting tables, 117–118
  setting up templates, 116
  titling presentations, 116–117
workshop ideas. *See also* research and workshop ideas
  analyzing data, 55–56
  auditing content, 112–113
  defining your personas, 21–22
  examining user journeys, 87–89
  usability test reports, 276-279
workshops
  conducting, 88–89
  running successful, 178–179
wrapping text
  on sitemaps in Excel, 153–154
  in user journeys, 101
writing
  descriptive image placeholders, 169
  labels in sitemaps in Excel, 153–154